

 <p style="text-align: center;">DIVISION OF ADULT INSTITUTIONS</p> <p style="text-align: center;">POLICY AND PROCEDURES</p>	DAI Policy #: 500.31.15	Page 1 of 3
	Original Effective Date: 06/03/13	New Effective Date: 06/03/13
	Supersedes: N/A	Dated: N/A
	Administrator's Approval: Jim Schwochert, Administrator	
	Last Reviewed, No Changes: 11/22/16	
Required Posting or Restricted:		
<input checked="" type="checkbox"/> Inmate <input checked="" type="checkbox"/> All Staff <input type="checkbox"/> Restricted		
Chapter: 500 Health Services		
Subject: Disposal of Peritoneal Dialysis Effluent and Medical Supplies		

POLICY

The Division of Adult Institutions shall ensure that peritoneal dialysis effluent and medical supplies be disposed of per the current CDC recommendations.

REFERENCES

Infection Control for Peritoneal Dialysis Patients Fact Sheet, Centers for Disease Control, September 10, 2005
ESRD #14 Medical Review Board Standards of Care for ESRD Patients in the Outpatient Peritoneal Dialysis Setting, November 2006

DEFINITIONS, ACRONYMS AND FORMS

CDC – Centers for Disease Control

ESRD – End Stage Renal Disease

PD – Peritoneal Dialysis

PROCEDURE

- I. Standard precautions shall be used when handling PD effluents.
- II. The PD patient shall have access to dispose of effluent in the facility designated waste area.
- III. PD patients shall be instructed on safe handling and disposal of medical waste supplies in the institution and home setting. This includes the use of disposable gloves during the disposal of effluent in the clinic setting and hand hygiene after it is completed.
- IV. Nursing staff handling effluent waste shall dispose of the material in a splash proof area outside the training room.
 - A. The drain tubing shall be placed below the level of the water to prevent splashing while the bag drains.
 - B. If drain tubing is cut with a scissors to expedite the drainage of effluent, the tubing must remain long enough to be placed below the level of the water.

DAI Policy #: 500.31.15	New Effective Date: 06/03/13	Page 2 of 3
Chapter: 500 Health Services		
Subject: Disposal of Peritoneal Dialysis Effluent and Medical Supplies		

- V. The disposal station will be disinfected with an appropriate chemical disinfectant on each working day and additionally as necessary. If a solution of chlorine bleach (sodium hypochlorite) is used, the solution shall be at least 1:100 sodium hypochlorite and the surface to be treated must be compatible with this type of chemical treatment.

- VI. Emptied bags and drain lines shall be disposed of in the routine waste containers. The use of red bags is not required.

- VII. Facility staff shall follow recommended facility procedures for the handling and disposal of medical waste supplies.

Bureau of Health Services: _____ **Date Signed:** _____
James Greer, Director

_____ **Date Signed:** _____
Ryan Holzmacher, MD, Medical Director

_____ **Date Signed:** _____
Mary Muse, Nursing Director

Administrator's Approval: _____ **Date Signed:** _____
Jim Schwochert, Administrator

DIVISION OF ADULT INSTITUTIONS FACILITY IMPLEMENTATION PROCEDURES

Facility: Name		
Original Effective Date:	DAI Policy Number: 500.31.15	Page 3 of 3
New Effective Date: 00/00/00	Supersedes Number:	Dated:
Chapter: 500 Health Services		
Subject: Disposal of Peritoneal Dialysis Effluent and Medical Supplies		
Will Implement <input type="checkbox"/> As written <input type="checkbox"/> With below procedures for facility implementation		
Warden's/Center Superintendent's Approval:		

REFERENCES

DEFINITIONS, ACRONYMS, AND FORMS

FACILITY PROCEDURE

- I.
 - A.
 - B.
 - 1.
 - 2.
 - a.
 - b.
 - c.
 - 3.
 - C.

II.

III.

RESPONSIBILITY

I. Staff

II. Inmate

III. Other